	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	137810	(detector OR sensor OR (image ADJ pickup)) WITH (post OR pin OR screw OR tube)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/01 16:34
2	BRS	L2	64179	(detector OR sensor OR (image ADJ pickup)) WITH (transparen$2 OR window)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/01 16:08
3	BRS	L3	9948	1 AND 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/01 16:08
4	BRS	L4	3210	(detector OR sensor OR (image ADJ pickup)) WITH (post OR pin OR screw OR tube) WITH (transparen$2 OR window)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/01 16:13

	Type	L #	Hits	Search Text	DBs	Time Stamp
5	BRS	L5	633712	scintillat$3 OR phosphor$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/01 16:10
6	BRS	L6	431	4 AND 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/01 16:10
7	BRS	L7	484	(detector OR sensor OR (image ADJ pickup)) WITH (post OR pin OR screw OR tube) WITH (transparen$2 OR window) WITH (support$3 OR mount$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/01 16:29
8	BRS	L8	7842958	(plural$3 OR multipl$5 OR array) WITH (post OR tube OR pin OR screw) WITH (detector OR sensor OR (image ADJ pickup)) WITH (transparen$2 OR window) OR (mount$3 OR support$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/01 16:34

	Type	L #	Hits	Search Text	DBs	Time Stamp
9	BRS	L9	1159	LEGO	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/01 16:34
10	BRS	L10	2431943	detector OR sensor OR (image ADJ pickup)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/01 16:34
11	BRS	L11	168	9 AND 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/01 16:35
12	BRS	L12	158694	"378"/$.ccls. OR "250"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/01 16:55

	Type	L #	Hits	Search Text	DBs	Time Stamp
13	BRS	L13	71530	8 AND 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/01 16:55

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	1	((detector OR sensor OR (image ADJ pickup)) WITH (post OR pin OR screw OR tube) WITH (position$3 OR mount$3) WITH (active ADJ side)).CLM.	US-PGPUB	2005/09/01 17:37
2	BRS	L2	832	((detector OR sensor OR (image ADJ pickup)) WITH (post OR pin OR screw OR tube) WITH (position$3 OR mount$3)).CLM.	US-PGPUB	2005/09/01 17:37